


RX200 S6
Xeon 5600

Internal Options:

- FUJI-X5670**
CPU X5670 SixCore EM64T
2nd Six-Core X5670
2930MHz 12MB
- Fuji-2GB**
2GB
- Fuji-4GB**
4GB
- Fuji-8GB**
8GB
- Fuji-16GB**
16GB
- DDR3-SDRAM
1x DIMMs each
- FUJI-2-Pwr**
Fuji-2-Pwr
2nd Power
- FUJI-36GB**
FUJI 15k SAS36G
36GB 15k SAS 2.5"
- FUJI-73GB**
FUJI 15k SAS73G
73GB 15k SAS 2.5"
- FUJI-146GB**
FUJI 15k SAS146
146GB 10k SAS 2.5"



2x 4Gb Fibre Channel to external storage


- FUJI-10GE**
Qlogic 10Gb CNA HBA
FUJI-10GE
- FUJI-FC2**
Emulex FC 4Gb 2-ch
FUJI-FC2

Parts list for the 2P Six-Core Fujitsu RX200 S6 system above


	Part Number	Qty	Description
1	FU-RX200S6A	1	Fuji RX200 S6 2P I 6C X5670-12MB 6GB 1U
1.1	FUJI-10GE	1	FUJI Intel 2x 10GbE server adapter
1.2	FUJI-146GB	6	Fuji 146GB SAS 15000r HotPlug 2.5" disk
1.3	FUJI-2-Pwr	1	Fuji RX3xx second power supply
1.4	FUJI-2GB	3	Fuji 2GB Memory 2x1GB RX600 S4
1.5	FUJI-FC2	1	FUJI Emulex FC 4Gb 2-ch PCIe HBA
1.6	FUJI-X5670	1	Xeon 6C X5670-12MB 2.93GHz for TX200S6

FUJITSU RX200 S6 Intel 5600 2P/1U

Westmere-EP
2930MHz Six-Core



GE-link to this document: <http://www.goldeneggs.fi/documents/GE-FUJI-RX200S6-A.pdf>



MS Windows Server 2003 and 2008
LINUX: Red Hat, SuSE
VMware Virtualization Software

Tip for detail printing:
- Zoom in area of interest
- Print, Print Current View

Golden Eggs Home:
<http://www.goldeneggs.fi>









© 2010 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	03-Feb-2012	GE-FUJI-RX200S6-A Matti.Patari@Kolumbus.fi
-------------------------------	-------------	---


FUJITSU RX200S6 2P X5670 2930Mhz
GOLDEN EGGS Visuals, Helsinki

RX200 S5
Xeon 5500

Internal Options:



++ Plus many more std PCIe I/O modules...



Example Configuration
x86-64


Intel Xeon X5570 x86-64
2930MHz 2P-Quad FUJI-RX200S5A

2x 4Gb Fibre Channel to
external storage

Parts list for the 2P Quad-Core Fujitsu RX200 S5 system above


	Part Number	Qty	Description
1	FU-RX200S5A	1	Fuji RX200 S5 2P I QC X5570-8MB 6GB 1U
1.1	FUJI-10GE	1	FUJI Qlogic 10Gb CNA server adapter
1.2	FUJI-146GB	6	Fuji 146GB SAS 15000r HotPlug 2.5" disk
1.3	FUJI-2-Pwr	1	Fuji RX3xx second power supply
1.4	FUJI-2GB	3	Fuji 2GB Memory 2x1GB RX600 S4
1.5	FUJI-FC2	1	FUJI Emulex FC 4Gb 2-ch PCIe HBA
1.6	FUJI-X5570	1	Xeon QC X5570-8MB 2.93GHz for x3650M2

Nehalem EP
2930MHz Quad-Core



FUJI-X5570 2nd processor
Cache 8MB
Intel Xeon X5570 x86-64
2930MHz 2P-Quad FUJI-RX200S5A System #

-iRMC RJ-45 10/100
-2x RJ-45 10/100/1000
-Matrox G200 8MB
-3x PCIe x8 I/O module slots



MS Windows Server 2003 and 2008
LINUX: Red Hat, SuSE
VMware Virtualization Software

Tip for detail printing:
- Zoom in area of interest
- Print, Print Current View

Golden Eggs Home:
<http://www.goldeneggs.fi>

© 2010 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	11-Mar-2010	GE-FUJI-RX200S5-A Matti.Patari@Goldeneggs.Fi
-------------------------------	-------------	---

FUJITSU RX200 S5 Intel 5500 2P/1U

FUJITSU RX200S5 2P X5570 2930Mhz
GOLDEN EGGS Visuals, Helsinki

Welcome to GoldenEggs Visual Configurations


<http://www.goldeneggs.fi>

A picture is worth of one thousand words.
It talks all Global languages.

x86-64 servers: **Dell** **IBM** **HP** **Fujitsu** **SUN** **Acer** **Lenovo** and **Cisco**

AMD Opteron 6174 x86-64


2200MHz 2P 12-Cor **DELL-R715-Axx**



2x 8Gb Fibre Channel to external storage


Intel Xeon X5670 x86-64

2930MHz 2P-Six-C **IBM-7944-M2x**




AMD Opteron 6172 x86-64

2100MHz 2P 12-Cor **573088-421 EU**




Intel Xeon X5570 x86-64

2930MHz 2P-Quad **FUJII-RX200S5A**



AMD Opteron 2431 x86-64

2400MHz 2P Six-C **SUN-X4140-B**



The present GoldenEggs multi vendor x86-64 website.

<http://www.goldeneggs.fi>

Older GoldenEggs are still available at:

DEC/Compaq/HP: VAX, Alpha, Storage and ProLiant Servers.

<http://h18000.www1.hp.com/info/GECPQA/>

OpenVMS.org: Alpha, Storage, ProLiant and Itanium Servers

<http://www.openvms.org/pages.php?page=GoldenEggs>

Matti.Patari@Kolumbus.Fi Helsinki,Finland

Your comments,improvements,are welcome.

Follow GoldenEggs on Twitter:

[@goldeneggsfi](https://twitter.com/goldeneggsfi)

GE-links to x86 FAMILY Pictures:

- <http://www.goldeneggs.fi/documents/GE-DELL-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-IBM-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-HP-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-FUJII-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-SUN-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-ACER-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-LENOVO-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-CISCO-FAMILY-A.pdf>

GE-links to x86 COMPARE Pictures:

- <http://www.goldeneggs.fi/documents/GE-COMPARE-2P-1U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-2P-2U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-4P-4U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-8P-8U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-TOWER-A.pdf>

© 2010 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	03-Jun-2011	GE-Welcomel
		Matti.Patari@Kolumbus.Fi

Welcome to Visual Configurations
GOLDEN EGGS Visuals, Helsinki

GE-Welcomel