

RX600 S6  
Xeon E7-4800

Internal Options:

- CPU** FUJI-4870  
E7-4870 3-4 10-Core E7-4870 2400MHz 30MB  
EM64T
- FUJI-MEMBOO**  
MemoryBook for 8x DIMM
- FUJI-8GB**  
Pair of DDR3-SDRAM 2x 4GB
- FUJI-16GB**  
2x 8GB
- FUJI-32GB**  
2x 16GB
- FUJI-1-PWR**  
3-4 Power Need Two
- FUJI-36GB**  
36GB 15k SAS 2.5"
- FUJI-73GB**  
73GB 15k SAS 2.5"
- FUJI-146GB**  
146GB 10k SAS 2.5"
- FUJI-DAT**  
Dat Tape
- FUJI-10GE**  
Qlogic 10Gb CNA HBA
- FUJI-FC2**  
Emulex FC 4Gb 2-ch

MS Windows Server 2003 and 2008  
LINUX: Red Hat, SuSE  
VMware Virtualization Software


Tip for detail printing:  
- Zoom in area of interest  
- Print, Print Current View

2x 10-Gigabit

2x 4Gb Fibre Channel to external storage

Example Configuration  
x86-64

Intel Xeon E7-4870 x86-64  
2400MHz 4P-10Core FUJI-RX600-S6



Parts list for the 4P 10-Core Fujitsu RX600 S6

Part Number	Qty	Description
FUJI-1-PWR	2	FUJI RXxxx Power Supply, need 2x
FUJI-10GE	1	FUJI Intel 2x 10GbE server adapter
FUJI-146GB	7	Fuji 146GB SAS 15000r HotPlug 2.5" disk
FUJI-4870	2	FUJI Xeon E7-4870 10-Core 2.4GHz 30MB Pr
FUJI-8GB	30	Fuji 8GB Memory 2x4GB RX600 S4
FUJI-DAT	1	Fujitsu SATA DAT Tape Drive
FUJI-FC2	2	FUJI Emulex FC 4Gb 2-ch PCIe HBA
FUJI-MEMBOO	6	Fujitsu Memory Expansion Book
FUJI-RX600S	1	Fuji RX600-S6 4P 10-C E7-4870 30MB 16GB

E7-4800  
2400MHz Ten-Core

Intel Xeon E7-4870 x86-64 System #  
2400MHz 4P-10Core FUJI-RX600-S6

- FUJI-4870**  
-3-4 Processor Ten-Core  
Cache 30MB
- MemoryBook for 8x DIMM**
- Memory Option DIMM Pair 8GB =4+4**
- iRMC S2 RJ-45 100/1000**
- Four RJ-45 10/100/1000**
- Matrox G200 32MB**
- 10x PCIe G2 I/O module slots**

4x Gigabit E

8GB


Qlogic 10GB FUJI-10GE

Emulex 4GBx2 FUJI-FC2

FUJI 15k SAS73G


73..300GB

GE-link to this document: <http://www.goldeneggs.fi/documents/GE-FUJI-RX600S6-A.pdf>



Max memory:  
32x 16GB DIMMs  
= 1TB

Power Supply, Need Two



Golden Eggs Home:  
<http://www.goldeneggs.fi>

© 2010 Matti Patari, All rights reserved.












GOLDEN EGGS Visuals™ Helsinki	30-Jan-2012	GE-FUJI-RX600S6-A
		Matti.Patari@Kolumbus.fi

FUJITSU RX600 S6 4P E7-4870 2.4GH  
GOLDEN EGGS Visuals, Helsinki

FUJITSU RX600 S6 Intel Ten-Core E7-4800 4P/4U

RX600 S5  
Xeon 7500

Internal Options:



++ Plus many more std PCIe I/O modules...


MS Windows Server 2003 and 2008  
LINUX: Red Hat, SuSE  
VMware Virtualization Software

Tip for detail printing:  
- Zoom in area of interest  
- Print, Print Current View

2x 10-Gigabit Remote Manager  
4x Gigabit E  
2x 4Gb Fibre Channel to external storage

Example Configuration  
x86-64

Intel Xeon X7560 x86-64  
2260MHz 4P-8Core **FUJI-RX600-S5**



Parts list for the 4P 8-Core Fujitsu RX600 S5

Part Number	Qty	Description
FUJI-10GE	1	FUJI Qlogic 10Gb CNA server adapter
FUJI-146GB	7	Fuji 146GB SAS 15000r HotPlug 2.5" disk
FUJI-8GB	30	Fuji 8GB Memory 2x4GB RX600 S4
FUJI-DAT	1	Fujitsu SATA DAT Tape Drive
FUJI-FC2	2	FUJI Emulex FC 4Gb 2-ch PCIe HBA
FUJI-MEMBOO	6	Fujitsu Memory Expansion Book
FUJI-RX600S	1	Fuji RX600-S5 4P 8-C X7560 24MB 16GB 4U
FUJI-X7560	2	FUJI Xeon X7560 8-Core 2.26GHz 24MB Proc

Nehalem EX  
2260MHz Eight-Core

Intel Xeon X7560 x86-64 System #  
2260MHz 4P-8Core **FUJI-RX600-S5**

FUJI-X7560

-3-4 Processor Eight-Core  
Cache 24MB

-MemoryBook for 8x DIMM




-Memory Option DIMM Pair 8GB =4+4

-iRMC S2 RJ-45 100/1000

-Four RJ-45 10/100/1000


-Matrox G200 8MB

-10x PCIe G2 I/O module slots



73..300GB

4x Gigabit E Remote Manager



Max memory:  
32x 16GB DIMMs  
= 1TB

-MemoryBook for 8x DIMM



-Memory Option DIMM Pair 8GB =4+4

-iRMC S2 RJ-45 100/1000

-Four RJ-45 10/100/1000

-Matrox G200 8MB

-10x PCIe G2 I/O module slots



RX600 S5  
x86-64

Golden Eggs Home:  
<http://www.goldeneggs.fi>

© 2010 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	23-Apr-2010	GE-FUJI-RX600S5-A
	Matti.Patari@Goldeneggs.Fi	

FUJITSU RX600 S5 4P X7560 2260Mhz  
GOLDEN EGGS Visuals, Helsinki

FUJITSU RX600 S5 Intel 7500 4P/4U

# Welcome to GoldenEggs Visual Configurations


<http://www.goldeneggs.fi>

A picture is worth of one thousand words.  
It talks all Global languages.

x86-64 servers: **Dell** **IBM** **HP** **Fujitsu** **SUN** **Acer** **Lenovo** and **Cisco**

AMD Opteron 6174 x86-64


2200MHz 2P 12-Cor **DELL-R715-Axx**



2x 8Gb Fibre Channel to external storage


Intel Xeon X5670 x86-64

2930MHz 2P-Six-C **IBM-7944-M2x**




AMD Opteron 6172 x86-64

2100MHz 2P 12-Cor **573088-421 EU**




Intel Xeon X5570 x86-64

2930MHz 2P-Quad **FUJII-RX200S5A**



AMD Opteron 2431 x86-64

2400MHz 2P Six-C **SUN-X4140-B**



The present GoldenEggs multi vendor x86-64 website.

<http://www.goldeneggs.fi>

Older GoldenEggs are still available at:

DEC/Compaq/HP: VAX, Alpha, Storage and ProLiant Servers.

<http://h18000.www1.hp.com/info/GECPQA/>

OpenVMS.org: Alpha, Storage, ProLiant and Itanium Servers

<http://www.openvms.org/pages.php?page=GoldenEggs>

Matti.Patari@Kolumbus.Fi Helsinki,Finland

Your comments,improvements,are welcome.

Follow GoldenEggs on Twitter:

[@goldeneggsfi](https://twitter.com/goldeneggsfi)

GE-links to x86 FAMILY Pictures:

- <http://www.goldeneggs.fi/documents/GE-DELL-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-IBM-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-HP-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-FUJII-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-SUN-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-ACER-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-LENOVO-FAMILY-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-CISCO-FAMILY-A.pdf>

GE-links to x86 COMPARE Pictures:

- <http://www.goldeneggs.fi/documents/GE-COMPARE-2P-1U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-2P-2U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-4P-4U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-8P-8U-A.pdf>
- <http://www.goldeneggs.fi/documents/GE-COMPARE-TOWER-A.pdf>

© 2010 Matti Patari, All rights reserved.

GOLDEN EGGS Visuals™ Helsinki	03-Jun-2011	GE-Welcomel
		Matti.Patari@Kolumbus.Fi

Welcome to Visual Configurations  
GOLDEN EGGS Visuals, Helsinki

GE-Welcomel